



1904


Note: Arrows indicate where the straight grain of fabric should be when placing templates. If there aren't any arrows use the written notes for layout instructions.



12 Inch Block



1904



Grain Directions for D

Cut the 4 Med. D's with the grain line on the short edges. Cut the 16 light D's with the grain line on the long edge.

1904

Assembly Instructions


Make your templates, you can either make them with the 1/4 seam allowance included or without. I prefer without. Or you can make 2 sets of templates one with the seam allowance and one without.

Mark and cut the number of pieces of each unit as noted on each template. Watch your grain lines.

- 4 of - A - in a Dark fabric
- 4 of - AR - in a Dark fabric
- 4 of - B - in a Light fabric
- 4 of - C - in a Dark fabric
- 16 of - D - in a Light fabric
- 4 of - D - in a Med. fabric
- 1 of - E - in a Med. Fabric

Note: The AR unit is the reverse of the A unit. Flip the template, do not rotate.


1. Assemble the inner square of this block first. Use four of the light - D - triangles, sew one to each edge of the center - E - square. This makes the large square in square - D - E - unit. Put aside for later.



1904

Assembly Instructions Continue:


2. Next lets assemble the corner units. The pieces required are one each of - B - A - AR - & - C -. Sew the - A - and - AR - pieces to each long side of the - B - triangle. Note: the edges between these units are on the bias, so take care that you do not stretch these seams while sewing. Once sewn this will make a large square. To this square you will attach the - C - triangle to form the corner section. Sew the - C - piece to the exposed bottom of the - B - triangle. The section will look like this: Sew 4 of these sections.



3. The center triangle section for the edges is next. For this section you will use three light - D - 's and one Medium - D -. Sew one light - D - to the long edge of the Medium - D - to form a square.



Next sew one light - D - to each short edge of the medium - D - to form a large triangle.




Sew 4 of these units.


1904

Assembly Instructions Continue:

4. Assemble the block. Take 2 of the - D - triangle sections and sew one on each side of an - A - B - AR - C - unit. Forming a larger corner triangle.



Sew 2 of these triangles. Now sew the center strip. Take the center square in a square section and attach the 2 remaining - A - B - AR - C sections to opposite sides of the square to form a long strip.



Next attach both the large corner triangles to each side of the center strip. This completes the block.

